

Mineral Resource Extraction on the Northern Pacific Coast

Erin McKittrick, M.S., Director¹, Bretwood "Hig" Higman, PhD, Executive Director²
contact@groundtruthtrekking.org

Last Modified: 22nd November 2010

Author's Note (2010): This article was researched and written in 2007 as part of the preparation for our [year-long Journey on the Wild Coast](#). One of the goals of this trip was to see many of these issues for ourselves, and to weave them together into a narrative aimed at understanding natural resource issues facing the Northern Pacific Coast. Some of the text and links have been updated with more recent information. See the current version of our website [here](#), where we discuss Coal, Metals Mining, Forestry, Fisheries, Oil/Gas, Renewable Energy and Climate Change. See also our Reflections at the end of this article.

- [Intro](#)
- [Map](#)
- [Mining](#)
- [Oil and Gas](#)
- [References and Links](#)

Introduction

Fish can be harvested every year. **Forests** regrow on a time scale of centuries. But oil, coal, and metals are formed by geologic processes with a time scale of millions of years. These mineral resources are non-renewable. And while fish and trees are both a resource for humans and a part of the ecosystem, minerals lie deep beneath the living earth, and are important to no species but our own.

The key issues in this region are the **proposed mines** in Bristol Bay, and in Northwest B.C/Southeast Alaska and the **proposed offshore oil drilling** in Bristol Bay and off the B.C. coast. Public attention and public participation can still influence these outcomes. Projects with unacceptable negative impacts can still be stopped. Other projects can be redesigned for better accountability, better returns to local government and communities, and better environmental standards.




[Exploration at proposed Pebble](#)

Information on this page is gleaned from a number of excellent [references](#), listed at the end of the page.

The environmental impacts of resource extraction fall into three basic categories:

- **Local footprint** - the area directly destroyed by mining or drilling operations. This is a planned part of the operation, and can be many square miles for coal mines and open pit metal mines.
- **Infrastructure footprint** - the areas impacted by roads, powerlines, pipelines and other development required to run a mining or drilling operation. This is also planned, but can be much larger than the mine itself - particularly when you include the energy necessary to run the operation
- **Accidents** - contamination of land or water by spills or leaks of toxic substances. Oil spills, [acid mine drainage](#), heavy metal contamination, etc... These toxic substances may be present in the mined material or added in the extraction process. Mitigation measures are supposed to prevent this, but often fail. Water pollution is one of the biggest problems at mines.





Click on a location to go to its description in this page

This map shows some locations of current, proposed, and historic mining and drilling operations along or near **our route** on the Northern Pacific and Southern Bering Sea. There are almost certainly locations missing - especially historic mines and relatively undeveloped proposals. Feel free to **contact me** with proposed additions.

Mining

Metal ores are often found in regions of ancient volcanic activity. This coastline is part of the Pacific Ocean's "Ring of Fire", and ores of gold, silver, and copper are common in several regions, particularly in Northwest B.C./Southeast Alaska, and in Southwest Alaska near Bristol Bay and the Alaska Peninsula. Some sites in these regions have been historic targets for mining, but remote locations and low grade ore have often prevented development. However, in the past few years, worldwide **metal prices have doubled or tripled**, leading to a boom in claim and exploration activity in both B.C. and Alaska.

Though the gold rush is one of the best known pieces of Alaska history, the days of grizzled old prospectors in the mountains with gold pans are long gone. Modern mines are generally very large enterprises run by multinational corporations, and extract their metals from ore in open pit or underground mines. Their local footprints can be enormous (over 20 square miles in the case of one proposal - the **Pebble Mine** prospect). However the infrastructure and energy needed to run these mines is even larger - often leading to more **oil drilling, coal mining, or hydropower dams** to power the operations. However, the biggest impact from mining operations is often not from their planned footprint and infrastructure, but from accidental spills and leaches of contaminants into nearby waters.

Mining's track record

- Mining is the most polluting industry in the country ([EPA Toxics Release Inventory](#)).
- Major threats to water include **acid mine drainage, cyanide spills**, and heavy metal pollution.
- Fish are especially sensitive to heavy metals in the water (more than people).
- A recent study shows that **76% of the U.S. mines surveyed exceeded water quality standards**, polluting rivers and groundwater. (Find the [full report here](#))
- According to the Environmental Protection Agency (EPA), **mine waste has contaminated more than 40 percent of the headwaters of western watersheds** .

Acid mine drainage occurs when naturally occurring sulfides in mined rock react with air and water, forming sulfuric acid. This acid leaks into streams, lowering their [Britannia Mine discharge](#) pH, and making them uninhabitable by fish and other aquatic life. Sulfides (like pyrite) are often found in ores

containing copper, gold and silver. Sulfides are also common in coal seams. Under natural conditions, these rocks erode very slowly, leaching only minute amounts of acid into local waters. A mine can unearth in decades as much rock as normal geologic processes would erode in a million years, allowing all the acidification to occur at once. Acid mine drainage is very difficult to prevent, and is often one of the most problematic and long-lasting environmental impacts from a mine. It has been documented at both **Greens Creek** and **Britannia**, and is a major worry for the proposed **Pebble Mine**.

Historic Mines

- **Britannia** - An abandoned copper mine on Howe Sound just north of Vancouver. One of the most notorious sites of **acid mine drainage** and water pollution in North America.
- **Kennicott** - An abandoned copper mine in the Wrangell Mountains. A railroad ran down beside the Copper River to connect the mine with the port in Cordova. The railroad is abandoned, but a road still runs from Cordova to the newly-reconstructed "million dollar bridge" over the Copper River.
- **Ketchikan** - Early in the 20th century, there were a number of small prospecting operations here, but not much gold was ever discovered
- **Lituya Bay** - Early in the 20th century, gold prospectors mined the beach sands here.

Operating Mines

- **Greens Creek** - An underground mine for silver, gold, zinc and lead, on the northwest end of Admiralty Island, in Admiralty Island National Monument in Southeast Alaska. See our detailed article [here](#). *Greens Creek Mine - **SEACC***
- **Eskay Creek** - An underground gold mine in Northwestern B.C., on a tributary of the Unuk River. Part of Iskut-Stikine volcanic belt - a rich mineral area near the border with Alaska.
- **Earle Creek** - A gravel mine near the town of Egmont, B.C.
- **Myra Falls** - An underground zinc, copper, gold, and silver mine near the town of Campbell River, B.C.
- **Quinsam** - A coal mine on Vancouver Island near the town of Campbell River, B.C.

Abandoned Proposals

- **Windy Craggy** - In the 1980s, Geddes Resources put forward a proposal to develop this mine - a large open pit copper mine in the Tatshenshini-Alsek watershed, on a peak between the two rivers. Acid mine drainage from the sulphide-rich ore would have posed an enormous threat to both rivers and the surrounding wilderness. A group known as Tatshenshini Wild formed in 1989 to fight this plan.

With growing opposition to the plan, Tatshenshini Wild spearheaded a large coalition known as Tatshenshini International. At its peak, the group comprised 50 of the top conservation organizations in North America and represented about 10 million people. In the end, two things stopped the mine project: strong public opposition, and the objections of the U.S. The U.S. stood little to gain from the mine, which threatened fish runs in U.S. waters, and since the only feasible port for Windy Craggy was in the U.S. at the mouth of the Alsek, the U.S. could have vetoed the project by refusing the port.

In 1993, this wilderness was protected in the **Tatshenshini-Alsek Provincial Park**, creating the only large river drainage in North America that is protected from headwaters to ocean.

- **Quartz Hill** - This molybdenum deposit is located in Misty Fjords National Monument in Southeast Alaska. US Borax staked a claim here in 1974, and in 1980 the Alaska National Interest Lands Conservation Act created the National Monument with a hole in it, to exempt the potential mine site and its access corridor. By 1991, **some disposal permits had been denied** and the price of molybdenum had dropped, making the prospect no longer worthwhile. Canadian mining company Teck Cominco owns the site now, and continues to assert the mine will be developed when molybdenum prices rise enough. **Prices have risen a lot** in the past several years.

Proposals and Prospects

This is the category we'll be paying the most attention to. Why? These mines haven't been built - and in many cases may not be built. Public attention and public participation can still influence these outcomes - either to prevent the mines, or to demand better accountability and environmental standards.

Pebble Mine Project

The Pebble Mine project is a controversial proposal by **Northern Dynasty Minerals** to build one of the largest gold and copper mines in the world, in southwest Alaska, near **Lake Iliamna**. Their **current proposal** involves both a large open pit and an underground mine, as well as removal of the water from the headwaters of **Upper Talarik Creek** and the Kaktuli River (important fish habitats). The site sits at the headwaters of two major **Bristol Bay** drainages (**Nushagak** and **Kvichak**), and **potentially poses a large threat to the region's water and salmon**. This proposal has become a major political issue in Alaska, supported by the mining industry and heavily opposed by the commercial and sport fishing industries, and many local native villages.



proposed Pebble Mine site

Read much more about Pebble Mine in our up-to-date detailed article [here](#).

Chuitna Coal Project

The Chuitna Coal project is a proposal by PacRim Coal to develop Alaska's largest coal strip mine 45 miles west of Anchorage in the Beluga Coal Fields, near the communities of Tyonek and Beluga on the West side of Cook Inlet.

Check out our new and up-to-date **Chuitna page**.

Other Proposals

- **Galore Creek** - The Iskut, Unuk, and Stikine Rivers are major transboundary waterways that flow from B.C. into Southeast Alaska, and important habitats for both fish and wildlife. They're also located in the Iskut-Stikine volcanic belt, a rich source of metal deposits. **Novagold** has permits to build this Galore Creek Mine on the lower Stikine river, 20km from the main stem. Potentially, they could also put in a **hydropower dam in Forrest Kerr Canyon on the lower Iskut**, which would dewater a significant portion of the river.
- **Kensington** - An underground gold mine which recently opened near Juneau by **Couer Alaska**. This mine was at the center of a major legal battle over the Clean Water Act. Kensington sought to reclassify mine tailings as "fill", in order to dispose of them in a sub-alpine lake near the mine. Under the Clean Water Act, tailings cannot be disposed of in lakes or streams. Eventually the US Supreme Court issued a ruling in favor of the mine, and the mine began production in 2010. See our updated article **here**.
- **Other Iskut River Prospects** - There are many potential mine sites in the Iskut and Unuk watersheds. **Skyline Gold** is exploring the Bronson slope deposit on the lower Iskut River, near the old Johnny Mountain and Snip Mines.
- **Other Southwest Alaska Prospects** (e.g. Kamishak and Bee Creek) - A number of companies have claims and prospects in Southwest Alaska outside of the **immediate Pebble Mine area**. Most of these are relatively early in the exploration process, and are difficult to find much information on. Two properties currently being explored by **Full Metal Minerals** are Kamishak, (near the town of Kakhonak, Katmai National Park, and the McNeil River state Game Refuge) and Bee Creek (near the town of Chignik on the Alakas Peninsula).

Oil and Gas - Drilling and Transport

With the exception of the **Chuitna coal proposal**, most mines and mine proposals in this region are seeking metals. Metals are highly recyclable goods, and could theoretically be reused many times. Oil, on the other hand is largely burned for energy - truly non-renewable in all senses of the word. Burning **oil and gas** is a major contributor to global warming, which is already **disproportionately affecting Alaska**. Most oil drilling and proposed drilling in this region is off shore - where potential impacts include seismic exploration and oil spills. Another major risk is **oil spills** from tanker traffic - wherever the oil is drilled.

Historic Oil Drilling

- **Katalla** - Near the Copper River Delta, Katalla was the site of Alaska's first oil well in 1902. Exploration also occurred here in the 1980s, but the area is currently closed.
- **Mt Demian** - A 1920s era oil camp near Mt. Peulik on the Alaska Peninsula.

Active Oil Drilling

- **Cook Inlet** - Offshore oil drilling has been going on in Cook Inlet **since the 1960s**. The Cook Inlet beluga whale population is in dramatic decline - the National Marine Fisheries Service has proposed that **it be listed as endangered** (2007). But Cook Inlet is the most populated waterway in Alaska, with multiple industrial activities and pollution sources. It's unclear whether or how oil drilling may have played into the whales' decline.

Packraft and Cook Inlet Oil Rig

Proposed Oil Drilling

Bristol Bay

In spring 2007, the federal government lifted the moratorium on leasing in the "North Aleutian Basin" area in Bristol Bay. This area of sea floor is located in the Bering Sea, north of the Alaska Peninsula. The Bering Sea produces half of all fish caught in U.S. waters, and Bristol Bay is home to the world's largest sockeye salmon fishery. In the winter, the Bering Sea is covered with sea ice, and known for its massive winter storms, greatly increasing the risk of a potential **oil spill**. These winter storms have led to a number of shipwrecks on the ice-free Pacific Ocean side of the Alaska Peninsula. We currently have no technology to stop the spread of an oil spill in partially-frozen waters.



Bristol Bay

Offshore oil and gas leasing in the U.S. is under control of the **Minerals Management Service**. Bristol Bay was under a moratorium on leasing from 1990-2003, which was extended by President Clinton to 2012. President Bush undid Clinton's order in 2007, and the **Minerals Management**

Service was considering selling leases in Bristol Bay , as well as the **Chukchi and Beaufort Seas in the Arctic** .

• **Queen Charlotte Basin**

There has been a moratorium on offshore oil and gas drilling in B.C. since 1972. The B.C. government would like the moratorium lifted, but needs the federal government to agree. A 2003 review of the moratorium failed to come to any conclusions, and the moratorium remained in place. In its 2007 energy plan, B.C. continues to push for oil drilling to be allowed.

Queen Charlotte Basin - between the Queen Charlotte Islands (Haida Gwaii) and mainland B.C. is one of the main targets, with known oil and gas reserves. The Queen Charlotte Basin is an especially rich area for marine flora. **Risks of exploration and drilling off B.C.** include oil spills (very difficult to contain in windy winter months), seismic testing (likely harmful to whales), and release of pollutants into the waters through normal drilling operations.

Oil Tankers and Oil Spills

One of the major risks with oil isn't from drilling at all - it's from tanker traffic. The Exxon Valdez oil spill that devastated Prince William Sound in 1989 came from arctic oil - drilled hundreds of miles away in Prudhoe Bay. Oil tankers have been banned from the B.C. coast since 1972, but the prime minister is currently **trying to lift the ban** (2007) - hoping to use the B.C. coast as a port for Alberta oil.

Author's Reflections: In process

References and Links

- **Golden Dreams, Poisoned Streams: How Reckless Mining Pollutes America's Waters and How We can Stop It** - Mineral Policy Center, 1997.
- **Toxics Release Inventory** - EPA
- **Britannia Case Study** - Infomine
- **Kennecott Mine** - Wikipedia
- **Historical Mining in Ketchikan and SE Alaska** - Sit news
- **Mineral Resources Education Program of British Columbia**
- **Comparison of Predicted and Actual Water Quality at Hardrock Mines The reliability of predictions in Environmental Impact Statements**
- **Mining Watch Canada - B.C.**
- **Mining Sites - the Atlas of Canada**
- **Center for Science in Public Participation** - reports
- **Earthworks** - a non-profit organization dedicated to protecting communities and the environment from the destructive impacts of mineral development, in the U.S. and worldwide.
- **Westerners for Responsible Mining**
- **Skyline Gold Corporation** - Iskut River
- **Northern Dynasty Minerals** - Pebble
- **Full Metal Minerals** - Kamishak, Bee Creek, Alaska Peninsula
- **Novagold** - Galore Creek
- **Rivers Without Borders** - Iskut, Stikine, Taku, Unuk rivers.
- **Environmental Mining Council of B.C.**
- **Oil and Gas assessment of Bristol Bay** - Minerals Management Service
- **Alaska Oil and Gas** - Department of Natural Resources.
- **Risks of Offshore Oil Drilling in B.C.** - David Suzuki Foundation
- **Cook Inlet Beluga may be listed as Endangered** - Cook Inlet Keeper
- **Cook Inlet Oil and Gas History**

Date Created: 24th September 2010